


A wooden swing set with two tire swings is the central focus. The structure is made of light-colored, natural wood logs. It features a horizontal beam supported by two vertical posts. Two sets of yellow ropes are attached to the beam, each supporting a black tire swing. The swing set is situated on a bed of yellow wood chips. In the background, there is a lush green field with several trees, including a large evergreen on the left and a line of deciduous trees in the distance. The sky is overcast and grey.

**GRØNAGERGAARD SAVVÆRK
GYNGESTATIV SAMLEVEJLEDNING**




ca. 250 cm

220 cm

330 cm

1




Start med at måle ud mellem de to cylinderdrejet stolper i hver side. Vi anbefaler at have 220 cm mellem stolperne.

Lav en markering ved hver stolpe, hvor du skal grave.


2

Opmål 330 cm i bredden mellem stolperne, og lav samtidig en markering af den sidste stolpe.



3

Du står nu med 4 markeringer på jorden med følgende mål:



4

Vi anbefaler at grave stolperne ned til frostfri i 90 cm dybde. Brug ikke et pælebor, men grav et godt bredt hul, så stolperne kan nedsættes nemt.



7

Placer nu alle stolperne i de gravede huller, og læg overliggeren på.



Juster stolperne i hver side, så overliggeren ligger i vater.

8

I hver side skrues de medfølgende skruer i.



9

Støb enten med stolpebeton eller stamp stolpen med sand.



Når stolpebetonet er hærdet påmonteres gyngerne.



Vi anbefaler at opsætte gyngekrogene på denne måde